

INDEX TO VOLUME 21

A

- Abbott, P. J., 549-563
- Addiction Severity Index (ASI), use of in study of role of presenting problems in treatment retention, 17-26
- Admission, rapid, effect of on methadone maintenance retention, 533-547
- Advocacy, role of in continuity of care in treatment programs, 433-451
- African-Americans, gender differences in risk factors for substance abuse in, 511-531
- Aftercare
- alcoholism treatment, effect of travel barriers and age on utilization of, 391-406
  - substance abuse, effect of halfwayhouse placement on retention in, 379-390
- Age, effect of on utilization of alcoholism treatment aftercare, 391-406
- Aggressivity, among sons of substance abusing fathers, 195-208
- Alcohol
- motor vehicle crashes related to, effect of availability on, 407-416
  - problems related to, diagnostic value of BAC for identifying, among DWI offenders, 573-580
  - role of availability of in homicide of suicide, 147-150
  - withdrawal from, ambulatory medical detoxification for, 549-563
- Alcoholism
- aftercare treatment for, effect of travel barriers and age on utilization of, 391-406
  - detection of in psychiatric inpatients, validity of diagnostic interview schedule for, 565-571
  - role of in homicide or suicide, 147-150
- Alemi, F., 483-509
- Allen, L. A., 315-326
- Ambulatory medical detoxification, for alcohol withdrawal, 549-563
- Antisocial behavior, paternal relationship of homovanillic acid and dopamine- $\beta$ -hydroxylase in male youth, 363-378
- Atef-Vahid, M., 153-166

Attrition. *See* Treatment retention  
Avants, S. K., 469-481

## B

BAC. *See* Breath alcohol concentration (BAC)

### Behavior

antisocial, paternal relationship of homovanillic acid and dopamine- $\beta$ -hydroxylase in male youth, 363-378

of patients on methadone maintenance, effect of notification of HIV serostatus on, 37-45

Bigelow, C., 1-16

Bjorn, J., 363-378

Blow, F. C., 391-406

Bois, C., 433-451

Boltz, M. K., 257-265

Books received, 151-152, 287, 417, 581-582

Booth, B. M., 391-406

Booth, R. E., 419-432

Bowden, C. L., 363-378

Bransfield, S., 511-531

Breath alcohol concentration (BAC), diagnostic value for identifying alcohol related problems among DWI offenders, 573-580

Bromocriptine, in management of cocaine withdrawal, 65-79

Brown, B. S., 153-166

Bunn, J. Y., 391-406

## C

Callejo, V., 17-26

Calsyn, D. A., 303-313

Capelhorn, J. (letter to editor), 283-284

Cardiovascular disease, medicare patients with, impact of drug disorders on hospital length of stay in, 93-110

Cartwright, W. S., 93-110

Case management coordination, role of in continuity of care in treatment programs, 433-451

Charney, D. S., 47-63

Chatham, L. R., 345-361

Cluster analysis, in study of role of presenting problems in treatment retention, 17-26

### Cocaine

bromocriptine in management of withdrawal from, 65-79

craving in hospitalized abusers of as predictor of outcome, 289-301

effects of combined fluoxetine and counseling in outpatient treatment for abuse of, 327-344

factors associated with treatment motivation and dependence among users of, 81-91

mazindol for relapse prevention to, in methadone maintenance patients, 469-481

patterns of use among users of, 223-231

relationship between choice of and psychiatric impairment, 153-166

self concept of addicts of compared to heroin addicts, 315-326

use of in obstetric patients, surveillance for, 233-239

- See also* Crack smokers
- Comorbidity  
 comparison of test-retest reliability  
 in diagnosis of, 167-185
- See also* Dual diagnosis patients;  
 Psychiatric impairment
- Concurrent substance abuse, in psy-  
 chiatric patients, relationship  
 between and neuroleptic dos-  
 age, 257-265
- Cook, C. A. L., 391-406
- Cost effectiveness, of drug treatment  
 programs, 111-135
- Counseling, effect of combined with  
 fluoxetine in outpatient treat-  
 ment of cocaine abuse,  
 327-344
- Covi, L., 327-344
- Crack smokers  
 heterosexual, gender differences in  
 high-risk sex behaviors among,  
 419-432
- See also* Cocaine
- Craving, as predictor of outcome in  
 hospitalized cocaine abusers,  
 289-301
- Crofts, N. (letter to editor), 283-  
 284

# D

- Dependence, among cocaine users,  
 factors associated with, 81-  
 91
- Desmond, D. P., 209-221, 533-547
- Detoxification programs  
 ambulatory medical, for alcohol  
 withdrawal, 549-563
- 21-day, effect of on retention, fur-  
 ther treatment, and HIV risk  
 reduction, 1-16
- See also* Treatment programs
- DeVoe, S., 233-239
- Dey, A., 81-91, 223-231
- Diagnosis, of comorbidity, compari-  
 son of test-retest reliability in,  
 167-185
- Diagnostic interview schedule (DIS),  
 validity of for alcoholism de-  
 tection in psychiatric inpa-  
 tients, 565-571
- D'Mello, D. A., 257-265
- Dopamine- $\beta$ -hydroxylase, and  
 homovanillic acid in male  
 youth, relationship of to pater-  
 nal substance abuse and anti-  
 social behavior, 363-378
- Doumani, S., 167-185
- Driving while intoxicated (DWI) of-  
 fenders  
 value of BAC for identifying alco-  
 hol-related problems among,  
 573-580
- See also* Motor vehicle crashes
- Drug lifestyle screening interview  
 (DLSI), use of in predicting  
 relapse potential in patients in  
 residential treatment programs,  
 187-194
- Drug preference, relationship be-  
 tween and indicators of psy-  
 chiatric impairment, 153-  
 166
- Dual diagnosis patients  
 in treatment programs, effect of  
 psychiatric care on, 303-  
 313
- See also* Comorbidity
- Duntzman, G. H., 153-166
- DWI. *See* Driving while intoxicated  
 (DWI) offenders

van Dyck, C. C., 47-63

## E

Economic evaluation, of drug treatment programs, 111-135

Eiler, K., 65-79

Esquivel, M., 533-547

Expected treatment outcomes scale, in evaluation of treatment outcomes, 483-509

## F

Fathers, substance abusing, aggressivity among sons of, 195-208

Females. *See* Gender differences

Fieldman, N. P., 315-326

Fischer, E. H., 565-571

Fisher, J. H., 17-26

Fluoxetine, effect of combined with counseling in outpatient treatment for cocaine abuse, 327-344

Flynn, P. M., 153-166

Forney, M. A., 17-26

Fortney, J. C., 391-406

French, M. T., 111-135

Friedman, A. S., 511-531

## G

Gabel, S., 363-378

Galanter, M., 37-45

Gavaler, J., 195-208

Gender differences

in high-risk sex behaviors among heterosexual drug injectors and

crack smokers, 419-432  
in psychosocial functioning and treatment retention, 267-281  
in risk factors for substance abuse in African-Americans, 511-531

Germany, methadone maintenance in, 27-35

Giacopassi, D., 407-416

Gill, T. S., 453-467

Goethe, J. W., 565-571

Gold, J. D., 573-580

Graham, K., 433-451

Granick, S., 511-531

Griffin, M. L., 289-301

## H

Haertzen, C. A., 327-344

Halfway house placement, effect of on retention in substance abuse aftercare, 379-390

Heroin

relationship between choice of and psychiatric impairment, 153-166

self concept of addicts of compared to cocaine addicts, 315-326

Hess, J. M., 327-344

Hitchcock, H. C., 379-390

HIV. *See* Human immunodeficiency virus (HIV)

Hoffer, P. B., 47-63

Hoffman, J. A., 153-166

Homicide, role of alcohol availability and alcoholism in, 147-150

Homovanillic acid, and dopamine- $\beta$ -hydroxylase in male youth, relationship of to paternal sub-

- stance abuse and antisocial behavior, 363-378
- Hospital length of stay, impact of drug disorders on in medicare patients with cardiovascular disease, 93-110
- Hubbard, R. L., 153-166
- Hufford, C., 289-301
- Human immunodeficiency virus (HIV), effect of 21-day drug detoxification program on reduction of risk for, 1-16
- Human immunodeficiency virus (HIV) (letter to editor), 283-284
- Human immunodeficiency virus (HIV) serostatus, effect of notification of on behavior of patients on methadone maintenance, 37-45

I

- IDU. *See* Injection drug users (IDUs)
- Ingram, J. M., 209-221
- Ingster, L. M., 93-110
- Injection drug users (IDUs)  
heterosexual, gender differences in high-risk sex behaviors among, 419-432
- See also* Needle-using practices
- Interview schedule, diagnostic, validity of for alcoholism detection in psychiatric inpatients, 565-571

J

- Joe, G. W., 345-361

K

- Kail, B. L., 241-255
- Karson, S., 153-166
- Katz, S. M., 37-45
- Khalsa, J., 511-531
- Kingree, J. B., 267-281
- Knight, K., 345-361
- Knox, L., 549-563
- Korman, J. J., 153-166
- Kosten, T. R., 47-63, 453-467, 469-481
- Kreek, M. J., 453-467
- Kreisher, C., 511-531
- Kreiter, N. A., 327-344
- Krystal, J. H., 47-63

L

- Larkin, E., 167-185
- Lester, D., 147-150
- Lewis, B. F., 1-16
- Lifshutz, H., 37-45
- Llorens, S., 483-509
- Lowery, R., 65-79
- Lucker, G. W., 573-580
- Luckey, J. W., 153-166
- Luippold, R., 1-16

M

- McCusker, J., 1-16
- McMahon, T. J., 453-467
- Maddux, J. F., 209-221, 533-547
- Males  
relationship of homovanillic acid and dopamine- $\beta$ -hydroxylase in to paternal substance abuse and antisocial behavior, 363-378

*[Males continued]*

- See also* Gender differences  
 Margolin, A., 453-467, 469-481  
 Martin, C. S., 195-208  
 Maslansky, R., 37-45  
 Maternal drug use. *See* Obstetric patients  
 Mazindol, for relapse prevention to cocaine abuse in methadone maintenance, 469-481  
 Medicare patients, with cardiovascular disease, impact of drug disorders on hospital length of stay in, 93-110  
 Methadone maintenance  
   effect of notification of HIV serostatus on behavior of patients on, 37-45  
   effect of rapid admission on retention in, 533-547  
   in Germany, 27-35  
   mazindol for relapse prevention to cocaine abuse in patients in, 469-481  
   suicide in, 345-361  
 Mezzich, A., 195-208  
 Monti, P. M., 81-91, 223-231  
 Moss, H. B., 195-208  
 Motor vehicle crashes  
   alcohol-related, effect of availability on, 407-416  
   *See also* Driving while intoxicated (DWI) offenders  
 Msibi, B., 257-265  
 Myers, M. G., 81-91, 223-231

## N

- Naloxone, sequential challenge tests with, reliability of, 453-467

- Needle, R., 153-166  
 Needle-using practices  
   among prostitutes, 241-255  
   *See also* Injection drug users (IDUs)  
 Neuroleptic dosage, in psychiatric patients, relationship between concurrent substance abuse and, 257-265  
 Newman, R. G., 27-35

## O

- Obstetric patients, surveillance for cocaine use in, 233-239  
 Ogborne, A. C., 137-145  
 Opiate withdrawal, assessment of using SPECT, 47-63  
 Orris, B., 483-509  
 Outcome prediction, craving as in hospitalized cocaine abusers, 289-301

## P

- Palsgrove, G. L., 153-166  
 Paternal personality, role of in aggressivity among sons of substance abusing fathers, 195-208  
 Paternal substance abuse, and antisocial behavior, relationship of homovanillic acid and dopamine- $\beta$ -hydroxylase in male youth, 363-378  
 Patterns of use, among cocaine users, 223-231  
 Pearsall, H. R., 453-467

- Physically disabled, admitted to residential treatment programs, patterns of substance abuse among, 137-145
- Price, L. H., 47-63
- Project Cork (news release), 285
- Prostitutes, needle-using practices among, 241-255
- Prozac. *See* Fluoxetine
- Psychiatric care, effect of on dual diagnosis patients in treatment programs, 303-313
- Psychiatric disorders, role of in aggressivity among sons of substance abusing fathers, 195-208
- Psychiatric impairment
  - relationship of to drug preference, 153-166
  - See also* Comorbidity
- Psychiatric patients
  - relationship between concurrent substance abuse and neuroleptic dosage in, 257-265
  - validity of diagnostic interview schedule for detection of alcoholism in, 565-571
- Psychosocial functioning, gender differences in and treatment retention, 267-281
- Pubertal development, role of in aggressivity among sons of substance abusing fathers, 195-208

Q

- Questionnaires, for drug abuse treatment evaluation, reliability of, 209-221

- Quinn, D., 549-563

R

- Rapid admission, effect of on methadone maintenance retention, 533-547
- Rapp, R. C., 17-26
- Ray, S., 241-255
- Relapse potential, in patients in residential treatment programs, use of DLSI in prediction of, 187-194
- Relapse prevention, to cocaine abuse in methadone maintenance patients, mazindol for, 469-481
- Reliability
  - of questionnaires for evaluation of drug abuse treatment, 209-221
  - of sequential naloxone challenge tests, 453-467
- Residential treatment programs, patterns of substance abuse among physically disabled admitted to, 137-145
- Retention. *See* Treatment retention
- Risk factors, for substance abuse in African-Americans, gender differences in, 511-531
- Risk reduction, HIV, effect of 21-day drug detoxification program on, 1-16
- Rohsenow, D. J., 81-91, 223-231
- Roque, G. M., 379-390
- Rosen, M. I., 47-63, 453-467
- Ross, H. E., 167-185

S

- Salstrom, D., 65-79

Saxon, A. J., 303-313  
 Schaefer, M. R., 65-79  
 Schneider, S. J., 153-166  
 Seibyl, J. P., 47-63  
 Self concept, comparison of in heroin and cocaine addicts, 315-326  
 Sex behaviors, high-risk, gender differences in among heterosexual drug injectors and crack smokers, 419-432  
 Shindledecker, R., 363-378  
 Siegal, H. A., 17-26  
 Simpson, D. D., 345-361  
 Single photon emission computerized tomography (SPECT), assessment of opiate withdrawal using, 47-63  
 Smart, R. G., 137-145  
 Socioeconomic status, role of in aggressivity among sons of substance abusing fathers, 195-208  
 Sons, of substance abusing fathers, aggressivity among, 195-208  
 SPECT. *See* Single photon emission computerized tomography (SPECT)  
 Stadler, J., 363-378  
 Stainback, R. D., 379-390  
 Stephens, R. C., 483-509  
 Suicide  
   in methadone maintenance, 345-361  
   role of alcohol availability and alcoholism in, 147-150  
 Surveillance, for cocaine use in obstetric patients, 233-239  
 Swinson, R., 167-185

## T

Test-retest reliability, in diagnosis of comorbidity, 167-185  
 Theisen, A. C., 153-166  
 Timney, C. B., 433-451  
 Travel barriers, effect of on utilization of alcoholism treatment aftercare, 391-406  
 Treatment motivation, factors associated with in cocaine users, 81-91  
 Treatment outcomes, expected treatment outcomes scale in evaluation of, 483-509  
 Treatment programs  
   drug, economic evaluation of, 111-135  
   effect of psychiatric care on dual diagnosis patients in, 303-313  
   evaluation of, reliability of questionnaires for, 209-221  
   outpatient, for cocaine abuse, effect of fluoxetine and counseling in, 327-344  
   residential patterns of substance abuse in physically disabled admitted to, 137-145  
   use of DLSI in predicting relapse potential of patients in, 187-194  
   role of advocacy and coordination in continuity of, 433-451  
   *See also* Methadone maintenance  
 Treatment retention  
   effect of 21-day drug detoxification program on, 1-16  
   gender differences in and psychosocial functioning, 267-281



- [Treatment retention *continued*]  
 methadone maintenance, effect of  
     rapid admission on, 533-  
     547  
 role of presenting problems in,  
     17-26  
 in substance abuse aftercare, effect  
     of halfway house placement  
     on, 379-390

V

- Varney, S. M., 81-91

W

- Wagner, J. H., 17-26  
 Walters, G. D., 187-194  
 Watson, D. D., 241-255  
 Wedgerfield, K., 433-451  
 Weeman, J., 233-239  
 Weiss, R. D., 289-301  
 Winn, R., 407-416

- Withdrawal  
     alcohol, ambulatory medical detox-  
         ification for, 549-563  
     cocaine, bromocriptine in manage-  
         ment of, 65-79  
     opiate, assessment of using  
         SPECT, 47-63  
 Wodak, A. (letter to editor),  
     283-284  
 Woods, S. W., 47-63, 453-467  
 Woolfolk, R. L., 315-326

Y

- Yao, J. K., 195-208  
 Yates, B. T., 153-166

Z

- Zanetos, M. A., 233-239  
 Zorn, M., 1-16  
 Zubal, I. G., 47-63  
 Zwick, W. R., 81-91